

L Number	Hits	Search Text	DB	Time stamp
1	338	concept\$2 NEAR2 (list! OR lists!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:05
2	7258	linked! NEAR2 (list! OR lists!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:07
3	891	(linked! NEAR2 (list! OR lists!)) SAME (tree\$2 OR hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:14
4	5	(concept\$2 NEAR2 (list! OR lists!)) AND ((linked! NEAR2 (list! OR lists!)) SAME (tree\$2 OR hierarch\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:06
5	12776	(linked! NEAR2 (list! OR lists!)) SAEM schema!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:06
6	29	(linked! NEAR2 (list! OR lists!)) SAME schema!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:07
7	22	((linked! NEAR2 (list! OR lists!)) SAME (tree\$2 OR hierarch\$5)) AND ((linked! NEAR2 (list! OR lists!)) SAME schema!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:07
8	8431	((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! NEAR5 (list! OR lists!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:13
9	13	((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! NEAR5 (list! OR lists!)) SAME (tree\$2 OR hierarch\$5) SAME concept\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:11
10	10048	((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! OR hierarch\$5) NEAR5 (list! OR lists!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:14
11	212	container\$2 NEAR2 hierarch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:18
12	64	((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! OR hierarch\$5) NEAR5 (list! OR lists!)) AND (container\$2 NEAR2 hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:15
13	1967	hierarch\$5 ADJ2 (container\$2 OR object\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:23
14	265	((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! NEAR5 (list! OR lists!)) AND (hierarch\$5 ADJ2 (container\$2 OR object\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 18:20

15	86	(((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (hierarch\$5 ADJ2 (container\$2 OR object\$2))) AND 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:20
16	3	(((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (hierarch\$5 ADJ2 (container\$2 OR object\$2))) AND 707/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:22
17	15453	container\$2 NEAR2 object\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:22
18	164	(((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (container\$2 NEAR2 object\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:22
19	4	(((((key! OR attribute!) ADJ2 (value! OR values!)) OR linked!) NEAR5 (list! OR lists!)) AND (container\$2 NEAR2 object\$2)) AND 707/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:24
20	5	(hierarch\$5 ADJ2 (container\$2 OR object\$2)) SAME (creat\$5 NEAR2 list\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:24
21	241	(hierarch\$5 ADJ2 (container\$2 OR object\$2)) AND (creat\$5 NEAR2 list\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:24
22	136	(hierarch\$5 ADJ2 (container\$2 OR object\$2)) AND (((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! OR hierarch\$5) NEAR5 (list! OR lists!)) AND (creat\$5 NEAR2 list\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:24
23	37	((hierarch\$5 ADJ2 (container\$2 OR object\$2)) AND (((key! OR attribute!) ADJ2 (value! OR values!)) OR linked! OR hierarch\$5) NEAR5 (list! OR lists!)) AND (creat\$5 NEAR2 list\$2)) AND 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/13 18:25

L Number	Hits	Search Text	DB	Time stamp
1	262	(relational adj database) and object and container and(property attribute) and value\$2 and range\$2 and hierarch\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:45
2	135	((relational adj database) and object and container and(property attribute) and value\$2 and range\$2 and hierarch\$4) and color	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:44
3	4	((relational adj database) and object and container and(property attribute) and value\$2 and range\$2 and hierarch\$4) and color) and "conceptual information"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:44
4	0	(relational adj database) and ((propert\$4 near3 attribute near3 value) same range\$2 same color)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:48
5	96	(relational adj database) and ((propert\$4 attribute value) same range\$2 same color)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:48
6	11	((relational adj database) and object and container and(property attribute) and value\$2 and range\$2 and hierarch\$4) and ((relational adj database) and ((propert\$4 attribute value) same range\$2 same color))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:48
7	11	((relational adj database) and object and container and(property attribute) and value\$2 and range\$2 and hierarch\$4) and color) and (((relational adj database) and object and container and(property attribute) and value\$2 and range\$2 and hierarch\$4) and ((relational adj database) and ((propert\$4 attribute value) same range\$2 same color)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:49
8	6	"hierarchical data container" and "hierarchical data list"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:50
9	3	2 AVL a link attribute value list (Pair) ((((relational adj database) and object and container and(property attribute) and value\$2 and range\$2 and hierarch\$4) and color) and (((relational adj database) and object and container and(property attribute) and value\$2 and range\$2 and hierarch\$4) and ((relational adj database) and ((propert\$4 attribute value) same range\$2 same color)))) and ("hierarchical data container" and "hierarchical data list")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:55
10	95	"conceptual information" or "conceptual near2 information"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:56
11	0	("conceptual information" or "conceptual near2 information") and (hierach\$4 same container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:57
12	0	("conceptual information" or "conceptual near2 information") and (hierach\$4 near3 container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:58

13	0	("conceptual information" or "conceptual near2 information") and (hierach\$4 same data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:58
14	0	("conceptual information" or "conceptual near2 information") and (hierach\$4 near5 object\$2)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59
15	50	("conceptual information" or "conceptual near2 information") and hierarch\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 16:59
16	36	((("conceptual information" or "conceptual near2 information") and hierarch\$4) and object\$2	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:00
17	9	((("conceptual information" or "conceptual near2 information") and hierarch\$4) and object\$2) and (concept\$1 near1 object\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:01
18	1	((("conceptual information" or "conceptual near2 information") and hierarch\$4) and object\$2) and (concept\$1 near1 object\$1)) and (color same red green blue or rgb)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:05
19	583	((three near1 dimensional or 3-D or 3D) adj1(color near2 space))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:07
20	0	(((((("conceptual information" or "conceptual near2 information") and hierarch\$4) and object\$2) and (concept\$1 near1 object\$1)) and (color same red green blue or rgb)) and ((three near1 dimensional or 3-D or 3D) adj1(color near2 space)))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:09
22	0	((three near1 dimensional or 3-D or 3D) adj1(color near2 space))) and (((("conceptual information" or "conceptual near2 information") and hierarch\$4) and object\$2) and (concept\$1 near1 object\$1)) and color\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:09
21	2	((("conceptual information" or "conceptual near2 information") and hierarch\$4) and object\$2) and (concept\$1 near1 object\$1)) and color\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:14
23	2	6101500.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:14
24	9	6101500.uref.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:15
25	1	6101500.pn. and color	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:15

26	1	6101500.pn. and concept	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:16
27	5	6101500.uref. and(hierarchical container)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:16
28	3	(6101500.uref. and(hierarchical container)) and (data same list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/13 17:17